



Made by Kronospan

everyone's
favourite flooring





K057 Clearwater Oak [SUPER NATURAL]



Welcome to our world

www.krono-original.com

■ Design and surface textures	06
■ Features guide	07
■ MO.RE! technology	08
■ Assortment	10

Collections



ATLANTIC 12	12
ATLANTIC 8	26
VINTAGE	58
IMPRESSIONS	94
SUPER NATURAL	108
CASTELLO	156

■ Accessories	180
■ Packaging information	183

Over 70 designs.

From classic to modern.

So there will always be a floor that is to your taste.

Elegant floors. Aesthetically pleasing and high quality. Available in more than 70 attractive designs to give your surroundings a unique flair.


Let yourself be inspired by the diversity of KronoOriginal® floors.



K479 Espresso Carpenter Oak [VINTAGE]

The look and feel of real wood and stone.

The latest KronoOriginal® collection is our widest-ever range of new decors; they comprise new trends, and new surface textures and finishes inspired by leading designers. We constantly work to develop our products, creating new unique decors with perfectly matched wood and stone textures and panels of different sizes.



Your benefits at a glance.



GUARANTEE
All KronoOriginal® laminate floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product (detailed terms of guarantee: www.krono-original.com).



STAIN AND IMPRINT RESISTANT
Whatever you might spill, whether red wine, oil or coffee, don't panic; it can be easily removed. KronoOriginal® is also abrasion resilient, robust and durable.



ECO FRIENDLY
All KronoOriginal® floors are environmentally friendly as standard made of up to 90% wood sourced from sustainably managed forests. What's more, the entire production chain – from raw materials to the finished product – has been certified and is regularly inspected by independent experts, ensuring peace of mind for you – and protection of our environment.



4-SIDED BEVELLED EDGES
The planks have bevelled edges on all four sides of the panel to ensure an authentic floorboard appearance.



A.B.C. ANTI BACTERIAL COMFORT
Keeping your flooring as clean and free of bacteria as possible is naturally a major concern. A KronoOriginal® A.B.C. Anti Bacterial Comfort inhibits the growth of bacteria on your flooring and provides you with the peace-of-mind that comes from a healthy home environment.



AUTHENTIC EMBOSSED
The high quality Authentic Embossed structures feature elegant contrasting and a thrilling multi-gloss effect that emphasises the depth of the structure with matt and gloss elements that reflect the light differently. The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



MICROSCRATCH PROTECT
This especially durable surface will protect your floors even better against microscratches which can occur through heavy use. With Microscratch Protect, your flooring will be well-protected against fine scratches and everyday wear and tear.



INSTALLATION
The KronoOriginal® installation systems have been specifically designed to make fitting your laminate flooring as easy and hassle free as possible. The click profiles allow individual panels to be joined together quickly with minimal tools or complications.



*Tested germs: Staphylococcus aureus



NEW!



Take more.
Endure more.
Withstand more.



- MO.RE! reliability**
Floors featuring MO.RE! technology offer you as much as 48 hours of splash-water protection.*
- Antibacterial comfort**
It goes without saying that keeping your floor as clean and bacteria-free as possible is important to you. The A.B.C. surface** does not provide a basis for bacteria to grow. With regular cleaning, you and your family can enjoy everyday life without any worries.
- Pet proof**
Thanks to their robust surface, MO.RE! technology and the antibacterial comfort, Atlantic floors are eminently suitable for households with pets.



How MO.RE! technology works

MO.RE! technology is based on a new substrate formulation. This makes the floor significantly less prone to swelling and therefore more resistant to the effects of water than conventional laminate floors.

Spilled a drink? Knocked over the mop bucket? Has a flower pot leaked onto the floor? There's no reason to panic: floors featuring MO.RE! technology can withstand such mishaps. You can wipe

up the liquid in peace and don't need to worry about whether your floor has been damaged. MO.RE! makes this possible!




K476 Inca Carpenter Oak [ATLANTIC 12]

* According to works standard specification KRONOSPAN WN-103, www.floor-with-more.com.
** Tested germs: Staphylococcus aureus

Product overview


Range Plank Size	Utilization Class	AC Rating	Residential Guarantee ²	Anti Bacterial Comfort ³
ATLANTIC 12 1285 x 192 x 12 mm	33	AC5	30 years	
ATLANTIC 8 1285 x 192 x 8 mm	32	AC4	20 years	
VINTAGE 1285 x 192 x 10 mm	32	AC4	30 years	
IMPRESSIONS 635 x 327 x 8 mm	32	AC4	20 years	
SUPER NATURAL 1285 x 192 x 8 mm	32	AC4	20 years	
CASTELLO 1285 x 192 x 8 mm	32	AC4	20 years	

www.krono-original.com
www.facebook.com/KronoOriginal

Locking system	V-Groove	Microscratch Protect	Authentic Embossed	Moisture Resistance	SKUs total
					6
			 ¹		15
					17
			 ¹		6
			 ¹		23
					10
					Σ 77



4375 Pearl Grey Oxide [IMPRESSIONS]



1) Selected decors
2) According to the conditions of guarantee (detailed terms of guarantee: www.krono-original.com)
3) Tested germs: Staphylococcus aureus

ATLANTIC 12



1285 x 192 x 12 mm

AC5 | Class 33

**The laminate floor
that can simply do more.**



K476 Inca Carpenter Oak



ATLANTIC 12



K336
Iceberg Oak

NEW
in collection

thickness	12 mm
format	1285 x 192 mm
texture	HC
lock	1cllic 2go pure

23
people
house

33
people
apartment

abrasion
class
★★★★★
AC5

EN 13329

30
years
guarantee

real groove
4

anti bacterial
comfort
+ A.B.C.

microscratch
protect

authentic
embossed

pet proof

eco-friendly
naturally
wood

1cllic 2go pure





K476

Inca Carpenter Oak

thickness	12 mm
format	1285 x 192 mm
texture	CM
lock	1clic 2go pure



23
EN 13329



33



abrasion
class
★★★★★
AC5



30
years
guarantee



real groove
4



anti bacterial
comfort
+ A.B.C. +



microscratch
protect



authentic
embossed



pet proof



eco-friendly
naturally
wood



1clic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 12



K285
Haybridge Oak

thickness	12 mm
format	1285 x 192 mm
texture	HO
lock	1clic 2go pure

23

EN 13329

30

years

guarantee

microscratch

protect

eco-friendly

naturally

wood

33

real groove

4

authentic

embossed

1clic 2go

pure

abrasion

class

★★★★★

AC5

anti bacterial

comfort

★ A.B.C. ★

pet proof



NEW
in collection



ATLANTIC 12



5542
Boulder Oak

NEW
in collection

thickness	12 mm
format	1285 x 192 mm
texture	HC
lock	1clic 2go pure

EN 13329		



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus



K287

Steelworks Oak

thickness	12 mm
format	1285 x 192 mm
texture	HO
lock	1cllic 2go pure



23



33



abrasion
class
★★★★★
AC5

EN 13329



30
years
guarantee



real groove
4



anti bacterial
comfort
+ **A.B.C.**



microscratch
protect



authentic
embossed



pet proof



eco-friendly
naturally
wood



1cllic 2go pure

NEW
in collection



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 12



5541
Bedrock Oak

thickness 12 mm
format 1285 x 192 mm
texture HC
lock 1cllic 2go pure

23

EN 13329

30

years

guarantee

microscratch

protect

eco-friendly

naturally

wood

33

real groove

authentic

embossed

1cllic 2go pure

abrasion

class

★★★★★

AC5

anti bacterial

comfort

★ A.B.C. ★

pet proof

NEW
in collection



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



1285 x 192 x 8 mm

AC4 | Class 32

**The laminate floor
that can simply do more.**



K469 Tortilla Cashmere Oak

ATLANTIC 8



K460
Orchid Oak

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	1cllic 2go pure

23
EN 13329

32

abrasion
class

AC4

20
years
guarantee

real groove
4

anti bacterial
comfort
+ A.B.C. +

pet proof

eco-friendly
naturally
wood

1cllic 2go pure

NEW





K469

Tortilla
Cashmere Oak

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	1cllic 2go pure

23
EN 13329

32

abrasion
class

AC4

20
years
guarantee

real groove
4

anti bacterial
comfort
+ A.B.C. +

pet proof

eco-friendly
naturally
wood

1cllic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus



K453

Biscotti Oak

thickness 8 mm
format 1285 x 192 mm
texture HO
lock 1clic 2go pure

23

EN 13329

20

years

guarantee

authentic

embossed

1clic 2go pure

32

real groove

pet proof

abrasion

class

AC4

anti bacterial

comfort

A.B.C.

eco-friendly

naturally

wood

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



K452
Ashland Oak

thickness 8 mm
format 1285 x 192 mm
texture HO
lock 1clic 2go pure



23
EN 13329



32



abrasion
class

AC4



20
years
guarantee



real groove
4



anti bacterial
comfort
+ **A.B.C.** +



authentic
embossed



pet proof



eco-friendly
naturally
wood



1clic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus



K326

Sundance Oak

thickness 8 mm
format 1285 x 192 mm
texture RO
lock 1cllic 2go pure

23
EN 13329

32

abrasion class

AC4

20 years guarantee

real groove
4

anti bacterial comfort
+ **A.B.C.** +

authentic embossed

pet proof

eco-friendly
naturally wood

1cllic 2go pure

NEW
in collection



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus



K471

Antique
Cashmere Oak

thickness	8 mm
format	1285 x 192 mm
texture	GT
lock	1clic 2go pure

23

EN 13329

32

real groove

4

abrasion class

AC4

20 years guarantee

anti bacterial comfort

A.B.C.

pet proof

eco-friendly

naturally wood

1clic 2go pure



ATLANTIC 8



K327
Hillside Oak

thickness	8 mm
format	1285 x 192 mm
texture	RO
lock	1cllic 2go pure

23
EN 13329

32

abrasion
class

AC4

20
years
guarantee

real groove
4

anti bacterial
comfort
+ A.B.C. +

authentic
embossed

pet proof

eco-friendly
naturally
wood

1cllic 2go pure

NEW
in collection



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



K450

Firebrand Oak

thickness	8 mm
format	1285 x 192 mm
texture	HO
lock	1clic 2go pure

23

EN 13329

20

years

guarantee

authentic

embossed

1clic 2go pure

32

real groove

4

pet proof

abrasion

class

AC4

anti bacterial

comfort

A.B.C.

eco-friendly

naturally

wood



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



K451
Silverdale Oak

thickness	8 mm
format	1285 x 192 mm
texture	HO
lock	1clic 2go pure



23



32



abrasion
class

AC4

EN 13329



20
years
guarantee



real groove
4



anti bacterial
comfort
+ **A.B.C.**



authentic
embossed



pet proof



eco-friendly
naturally
wood



1clic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



K463
Weathered
Volcano Oak

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	1clic 2go pure

23
people
house

32
people
apartment

abrasion
class

AC4

EN 13329

20
years
guarantee

real groove
4

anti bacterial
comfort
+ A.B.C. +

pet proof

eco-friendly
naturally wood

1clic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



K472

Dove
Cashmere Oak

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	1cllic 2go pure



23
EN 13329



32



abrasion
class

AC4



20
years
guarantee



real groove
4



anti bacterial
comfort
+ A.B.C. +



pet proof



eco-friendly
naturally
wood



1cllic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus



K392

Atomic Oak

thickness	8 mm
format	1285 x 192 mm
texture	RO
lock	1cllic 2go pure

23

EN 13329

20

years

guarantee

authentic

embossed

1cllic 2go pure

32

real groove

4

pet proof

abrasion

class

AC4

anti bacterial

comfort

A.B.C.

eco-friendly

naturally

wood

NEW
in collection





K481

Urban Heritage
Chestnut

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1cllic 2go pure

23

32

abrasion
class

AC4

EN 13329

20
years
guarantee

real groove

4

anti bacterial
comfort

+
A.B.C.

pet proof

eco-friendly

naturally
wood

1cllic 2go pure





K461
Antique
Volcano Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1clic 2go pure

23
EN 13329

32

abrasion class

AC4

20 years guarantee

real groove
4

anti bacterial comfort
+ A.B.C. **

pet proof

eco-friendly
naturally wood

1clic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus



K480

Colonial Heritage
Chestnut

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	1clic 2go pure

23
EN 13329

32

abrasion
class

AC4

20
years
guarantee

real groove
4

anti bacterial
comfort
+ A.B.C. +

pet proof

eco-friendly
naturally
wood

1clic 2go pure



VINTAGE



1285 x 192 x 10 mm

AC4 | Class 32

**A timeless
combination.**



K414 Corsair Oak

VINTAGE



K475

Virgin Scandi Larch

thickness 10 mm
format 1285 x 192 mm
texture VS
lock 1cllic 2go pure

23
people
house

32
people
apartment

abrasion
class

AC4

EN 13329

30
years
guarantee

real groove
4

anti bacterial
comfort
+ **A.B.C.** +

microscratch
protect

authentic
embossed

eco-friendly
naturally
wood

1cllic 2go pure

NEW



VINTAGE



5953

Chantilly Oak

thickness	10 mm
format	1285 x 192 mm
texture	HO
lock	1clic 2go pure

23

32

abrasion class

AC4

EN 13329

30
years
guarantee

real groove
4

anti bacterial
comfort
+ **A.B.C.**

microscratch
protect

authentic
embossed

eco-friendly
naturally
wood

1clic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

VINTAGE



K478

Mushroom
Carpenter Oak

thickness 10 mm
format 1285 x 192 mm
texture CM
lock 1clic 2go pure



EN 13329



NEW





VINTAGE

K473

Pearl Scandi Larch

thickness 10 mm
format 1285 x 192 mm
texture VS
lock 1clic 2go pure

23
people
house

32
people
building

abrasion
class

AC4

EN 13329

30
years
guarantee

real groove
4

anti bacterial
comfort
+ **A.B.C.**

microscratch
protect

authentic
embossed

eco-friendly
naturally
wood

1clic 2go pure



NEW

* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

VINTAGE



K474

Oyster Scandi Larch

thickness	10 mm
format	1285 x 192 mm
texture	VS
lock	1cllic 2go pure

23
EN 13329

30
years
guarantee

microscratch
protect

1cllic 2go pure

32

real groove
4

authentic
embossed

abrasion
class

AC4

anti bacterial
comfort
+ A.B.C. +

eco-friendly
naturally
wood

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

VINTAGE



K413

Blackwater Oak

thickness 10 mm
format 1285 x 192 mm
texture OE
lock 1clic 2go pure

23
people

32
people

abrasion
class

AC4

EN 13329

30
years
guarantee

real groove
4

anti bacterial
comfort
+ **A.B.C.**

microscratch
protect

authentic
embossed

eco-friendly
naturally
wood

1clic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

VINTAGE



5943
Natural Hickory

thickness	10 mm
format	1285 x 192 mm
texture	VH
lock	1clic 2go pure

23

EN 13329

30

years

guarantee

microscratch

protect

1clic 2go pure

32

real groove

4

authentic

embossed

abrasion

class

AC4

anti bacterial

comfort

A.B.C.

eco-friendly

naturally

wood



VINTAGE



K477

Natural
Carpenter Oak

thickness	10 mm
format	1285 x 192 mm
texture	CM
lock	1clic 2go pure

23
EN 13329

32

abrasion
class

AC4

30
years
guarantee

real groove
4

anti bacterial
comfort
+ A.B.C. +

microscratch
protect

authentic
embossed

eco-friendly
naturally
wood

1clic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

VINTAGE



5947

Historic Oak

thickness	10 mm
format	1285 x 192 mm
texture	HO
lock	1cllic 2go pure

23

EN 13329

32

abrasion class

AC4

30 years guarantee

real groove

4

anti bacterial comfort

A.B.C.

microscratch protect

authentic embossed

eco-friendly

naturally wood

1cllic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

VINTAGE



5537
Tawny Chestnut

thickness	10 mm
format	1285 x 192 mm
texture	RC
lock	1cllic 2go pure

23
years
warranty

32
years
warranty

abrasion
class

AC4

EN 13329 *

30
years
guarantee

real groove
4

anti bacterial
comfort
+ **A.B.C.** **

microscratch
protect

authentic
embossed

eco-friendly
naturally
wood

1cllic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

VINTAGE



K476

Inca Carpenter Oak

thickness 10 mm
format 1285 x 192 mm
texture CM
lock 1cllic 2go pure



EN 13329



NEW



VINTAGE



8155

Appalachian Hickory

thickness 10 mm
format 1285 x 192 mm
texture VH
lock 1cllic 2go pure

23
EN 13329

30
years
guarantee

microscratch
protect

1cllic 2go pure

32

real groove
4

authentic
embossed

abrasion
class

AC4

anti bacterial
comfort
+ A.B.C. +

eco-friendly
naturally
wood



VINTAGE



K412

Doubloon Oak

thickness	10 mm
format	1285 x 192 mm
texture	OE
lock	1cllic 2go pure

23

EN 13329

30

years

guarantee

microscratch

protect

1cllic 2go pure

32

real groove

4

authentic

embossed

abrasion

class

AC4

anti bacterial

comfort

A.B.C.

eco-friendly

naturally

wood



VINTAGE



K411

Laguna Oak

thickness 10 mm
format 1285 x 192 mm
texture OE
lock 1cllic 2go pure

23
EN 13329

30
years
guarantee

microscratch
protect

1cllic 2go pure

32

real groove
4

authentic
embossed

abrasion
class

AC4

anti bacterial
comfort
+ A.B.C. +

eco-friendly
naturally
wood



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

VINTAGE



8156

Red River Hickory

thickness	10 mm
format	1285 x 192 mm
texture	VH
lock	1cllic 2go pure

23
people
EN 13329

32
people

abrasion
class

AC4

30
years
guarantee

real groove
4

anti bacterial
comfort
+ A.B.C. +

microscratch
protect

authentic
embossed

eco-friendly
naturally
wood

1cllic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

VINTAGE



K414

Corsair Oak

thickness	10 mm
format	1285 x 192 mm
texture	OE
lock	1cllic 2go pure

23

EN 13329

30

years

guarantee

microscratch

protect

1cllic 2go pure

32

real groove

4

authentic

embossed

abrasion

class

AC4

anti bacterial

comfort

A.B.C.

eco-friendly

naturally

wood



VINTAGE



K479

Espresso
Carpenter Oak

thickness	10 mm
format	1285 x 192 mm
texture	CM
lock	1clic 2go pure

23
EN 13329

30
years
guarantee

microscratch
protect

1clic 2go pure

32

real groove

authentic
embossed

abrasion
class

AC4

anti bacterial
comfort
+ A.B.C. +

eco-friendly
naturally
wood

NEW



IMPRESSIONS



635 x 327 x 8 mm

AC4 | Class 32

**The look of
Ceramic tiles.**



K388 Pewter Slate

IMPRESSIONS



K385

Ice Flow

thickness	8 mm
format	635 x 327 mm
texture	RT
lock	1cllic 2go pure

23

EN 13329

20

years

guarantee

eco-friendly

naturally wood

32

real groove

4

1cllic 2go pure

abrasion class

AC4

anti bacterial comfort

A.B.C.



IMPRESSIONS



4375
Pearl Grey Oxide

thickness 8 mm
format 635 x 327 mm
texture AS
lock 1clic 2go pure

23

EN 13329

20 years guarantee

32

real groove

4

abrasion class

AC4

eco-friendly

naturally wood

1clic 2go pure

anti bacterial comfort

+ A.B.C. +

NEW
in collection



IMPRESSIONS



K035
Crosstown Traffic

thickness	8 mm
format	635 x 327 mm
texture	AS
lock	1clic 2go pure

23

EN 13329

20

years

guarantee

eco-friendly

naturally wood

32

real groove

4

1clic 2go pure

abrasion class

AC4

anti bacterial comfort

+

A.B.C.

+



IMPRESSIONS



K387
Silverado Slate

thickness	8 mm
format	635 x 327 mm
texture	OS
lock	1clic 2go pure

23
people

32
people

abrasion
class

AC4

EN 13329

20
years
guarantee

real groove
4

anti bacterial
comfort
+ A.B.C.

authentic
embossed

eco-friendly
naturally
wood

1clic 2go pure



IMPRESSIONS



K388
Pewter Slate

thickness 8 mm
format 635 x 327 mm
texture OS
lock 1clic 2go pure

23

EN 13329

32

abrasion class

AC4

20 years guarantee

real groove

4

anti bacterial comfort

A.B.C.

authentic embossed

eco-friendly

naturally wood

1clic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

IMPRESSIONS



K389

Nightfall Slate

thickness 8 mm
format 635 x 327 mm
texture OS
lock 1cllic 2go pure

23



EN 13329

32



abrasion class

AC4

20 years guarantee

real groove

4

anti bacterial comfort

+ A.B.C. +

authentic embossed




eco-friendly

naturally wood



1cllic 2go pure





SUPER
NATURAL



1285 x 192 x 8 mm

AC4 | Class 32

**A stunning new
achievement in realism.**



K407 Ashenwood Oak

SUPER NATURAL



K484

Misty
Sterling Oak

- thickness 8 mm
- format 1285 x 192 mm
- texture NL
- lock 1clic 2go pure

23
people

32
people

abrasion
class

AC4

EN 13329

20
years
guarantee

real groove
4

anti bacterial
comfort
+ **A.B.C.** +

eco-friendly
naturally
wood

1clic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL



8630

Aspen Oak

thickness	8 mm
format	1285 x 192 mm
texture	LP
lock	1cllic 2go pure

23

EN 13329

32

abrasion class

AC4

20 years guarantee

real groove

4

anti bacterial comfort

+

A.B.C.

+

authentic embossed

eco-friendly

naturally wood

1cllic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL



5543
Colorado Oak

thickness	8 mm
format	1285 x 192 mm
texture	HC
lock	1clic 2go pure

23

EN 13329

32

abrasion class

AC4

20 years guarantee

real groove

4

anti bacterial comfort

A.B.C.

authentic embossed

eco-friendly

naturally wood

1clic 2go pure



SUPER NATURAL



K418

Longbow Oak

thickness 8 mm
format 1285 x 192 mm
texture GT
lock 1clic 2go pure

23
EN 13329

32

abrasion class

AC4

20
years
guarantee

real groove
4

anti bacterial
comfort
+ **A.B.C.** +

eco-friendly
naturally
wood

1clic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL



K485

Natural
Sterling Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1clic 2go pure



EN 13329



NEW





SUPER NATURAL

5542

Boulder Oak

thickness	8 mm
format	1285 x 192 mm
texture	HC
lock	1clic 2go pure

23

EN 13329

32

abrasion class

AC4

20 years guarantee

real groove

4

anti bacterial comfort

A.B.C.

authentic embossed

eco-friendly

naturally wood

1clic 2go pure



SUPER NATURAL



5946
Rockford Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1clic 2go pure

23

EN 13329

20 years guarantee

32

real groove

4

abrasion class

AC4

eco-friendly

naturally wood

1clic 2go pure

anti bacterial comfort

A.B.C.



SUPER NATURAL



8575
Blonde Oak

thickness 8 mm
format 1285 x 192 mm
texture LP
lock 1cllic 2go pure



23
EN 13329



32



abrasion
class
★ ★ ★
AC4



20
years
guarantee



real groove
4



anti bacterial
comfort
★ **A.B.C.** ★



authentic
embossed



eco-friendly
naturally
wood



1cllic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL



5966

Khaki Oak

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	1clic 2go pure

23
EN 13329

32

abrasion
class

AC4

20
years
guarantee

real groove
4

anti bacterial
comfort
+ A.B.C. +

eco-friendly
naturally
wood

1clic 2go pure



SUPER NATURAL



K408

Outback Pine

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1cllic 2go pure

23

EN 13329

20

years

guarantee

eco-friendly

naturally wood

32

real groove

4

1cllic 2go pure

abrasion class

AC4

anti bacterial comfort

A.B.C.

* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL



K057
Clearwater Oak

thickness	8 mm
format	1285 x 192 mm
texture	GT
lock	1clic 2go pure

23

EN 13329

32

real groove

abrasion class

AC4

20 years guarantee

4

anti bacterial comfort

A.B.C.

eco-friendly

naturally wood

1clic 2go pure



SUPER NATURAL



5985
Sherwood Oak

thickness	8 mm
format	1285 x 192 mm
texture	GT
lock	1cllic 2go pure

23
EN 13329

32

abrasion class

AC4

20 years guarantee

real groove
4

anti bacterial comfort
+ A.B.C. +

eco-friendly
naturally wood

1cllic 2go pure



SUPER NATURAL



K338

Credenza Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1cllic 2go pure

23
EN 13329

32

abrasion class

AC4

20 years guarantee

real groove
4

anti bacterial comfort
+ **A.B.C.** +

eco-friendly
naturally wood

1cllic 2go pure



SUPER NATURAL



K468

Gondola Oak

thickness 8 mm
format 1285 x 192 mm
texture GT
lock 1cllic 2go pure

23
EN 13329

32

abrasion class

AC4

20
years
guarantee

real groove
4

anti bacterial
comfort
+ **A.B.C.** **

eco-friendly
naturally
wood

1cllic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL



K483

Antique
Sterling Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1clic 2go pure

23

EN 13329

32

abrasion class

AC4

20 years guarantee

real groove

4

anti bacterial comfort

+

A.B.C.

+

eco-friendly

naturally wood

1clic 2go pure

NEW



SUPER NATURAL



K419

Armoury Oak

thickness 8 mm
format 1285 x 192 mm
texture GT
lock 1clic 2go pure



23
EN 13329



32



abrasion
class

AC4



20
years
guarantee



real groove
4



anti bacterial
comfort
+ **A.B.C.** +



eco-friendly
naturally
wood



1clic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL



8573

Harlech Oak

thickness 8 mm
format 1285 x 192 mm
texture LP
lock 1clic 2go pure



23



32



abrasion
class

AC4

EN 13329 *



20
years
guarantee



real groove
4



anti bacterial
comfort
+ **A.B.C.** +



authentic
embossed



eco-friendly
naturally
wood



1clic 2go pure



SUPER NATURAL



8631

Castle Oak

thickness 8 mm
format 1285 x 192 mm
texture LP
lock 1clic 2go pure



23
EN 13329



32



abrasion
class

AC4



20
years
guarantee



real groove
4



anti bacterial
comfort
+ **A.B.C.** **



authentic
embossed



eco-friendly
naturally
wood



1clic 2go pure





K407

Ashenwood Oak

thickness 8 mm
format 1285 x 192 mm
texture GT
lock 1cllic 2go pure

23
EN 13329

32

abrasion
class

AC4

20
years
guarantee

real groove
4

anti bacterial
comfort
+ **A.B.C.** **

eco-friendly
naturally
wood

1cllic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL



K482

Twilight
Sterling Oak

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	1clic 2go pure



23
EN 13329



32



abrasion
class

AC4



20
years
guarantee



real groove
4



anti bacterial
comfort
+ **A.B.C.** +



eco-friendly
naturally
wood



1clic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL



8633
Shire Oak

thickness	8 mm
format	1285 x 192 mm
texture	LP
lock	1clic 2go pure

23

EN 13329

32

abrasion class

AC4

20 years guarantee

real groove

4

anti bacterial comfort

A.B.C.

authentic embossed

eco-friendly

naturally wood

1clic 2go pure



SUPER NATURAL



8274
Modena Oak

thickness	8 mm
format	1285 x 192 mm
texture	RF
lock	1clic 2go pure

23

EN 13329

32

abrasion class

AC4

20 years guarantee

real groove

4

anti bacterial comfort

A.B.C.

eco-friendly

naturally wood

1clic 2go pure



SUPER NATURAL



5541
Bedrock Oak

thickness	8 mm
format	1285 x 192 mm
texture	HC
lock	1clic 2go pure

23

EN 13329

20

years

guarantee

authentic

embossed

32

real groove

4

eco-friendly

naturally

wood

abrasion

class

AC4

anti bacterial

comfort

A.B.C.

1clic 2go pure



CASTELLO



1285 x 192 x 8 mm

AC4 | Class 32

**A classic look
with a new design.**



K470 Natural Cashmere Oak

CASTELLO



K396

Skydive Oak

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	Twin Clic

23

EN 13329

20

years

guarantee

twin clic

32

anti bacterial

comfort

+ A.B.C.

abrasion

class

AC4

eco-friendly

naturally

wood



CASTELLO



4282

Reykjavik Oak

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	Twin Clic

23

EN 13329

32

abrasion class

AC4

20 years guarantee

anti bacterial comfort

+ A.B.C.

eco-friendly

naturally wood

twin clic



CASTELLO



5529

Oregon

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	Twin Clic

23

EN 13329

32

anti bacterial
comfort
+ A.B.C. +

abrasion
class

AC4

20
years
guarantee

eco-friendly
naturally
wood

twin clic





K039

Silverside Driftwood

thickness	8 mm
format	1285 x 192 mm
texture	GT
lock	Twin Clic

23

EN 13329

20

years

guarantee

32

anti bacterial

comfort

+ A.B.C.

abrasion

class

AC4

eco-friendly

naturally

wood

twin clic



CASTELLO



K406

Eurus Oak

NEW
in collection

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	Twin Clic

23

EN 13329

32

abrasion class

AC4

20 years guarantee

anti bacterial comfort

+ A.B.C. +

eco-friendly

naturally wood

twin clic



CASTELLO



K470

Natural
Cashmere Oak

thickness	8 mm
format	1285 x 192 mm
texture	GT
lock	Twin Clic

23
EN 13329

32

abrasion
class

AC4

20
years
guarantee

anti bacterial
comfort
+ A.B.C.

eco-friendly
naturally
wood

twin clic

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus



8072

Nostalgia Oak

thickness	8 mm
format	1285 x 192 mm
texture	RF
lock	Twin Clic

23

32

abrasion class

AC4

EN 13329

20 years guarantee

anti bacterial comfort

+ A.B.C. +

eco-friendly

naturally wood

twin clic



CASTELLO



K462

Gold Volcano Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock Twin Clic

23

EN 13329

20 years guarantee

32

anti bacterial comfort
+ A.B.C.

abrasion class

AC4

eco-friendly
naturally wood

twin clic

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus



K395

Tornado Oak

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	Twin Clic

23

EN 13329

32

anti bacterial comfort
+ A.B.C.

abrasion class

AC4

20 years guarantee

eco-friendly

naturally wood

twin clic



CASTELLO



K040
Silerside Driftwood

thickness	8 mm
format	1285 x 192 mm
texture	GT
lock	Twin Clic

23

EN 13329

32

20 years guarantee

abrasion class

AC4

anti bacterial comfort

+ A.B.C. +

eco-friendly

naturally wood

twin clic





Virtual room set-up at
www.krono-original.com

www.krono-original.com
www.facebook.com/KronoOriginal



K477 Natural Carpenter Oak [VINTAGE]



XPS 5.0 [UNDERLAY]

Product overview

		THERMIC COMFORT		ACOUSTIC COMFORT		USAGE REQUIREMENTS			
									
		R	RWS	IS	CS	DL	PC	SD	
Product	Thick-ness	Thermal resistance	Underfloor heating	Walking sound reduction	Impact sound reduction	Durability	Dynamic Load	Unevenness smoothing	Moisture protection*
PUR 2.0	2.0 mm	–	✓✓✓	✓✓	✓✓	✓✓✓	✓✓✓	✓	✓✓✓
WOOD 5.0	5.0 mm	✓✓	–	–	✓✓	✓✓✓	✓✓	✓✓	PE foil required!
XPS 5.0	5.0 mm	✓✓✓	–	✓	✓✓✓	✓✓	✓	✓✓✓	PE foil required!
XPS 2.2 ALU	2.2 mm	–	✓✓	–	✓✓✓	✓✓	✓✓	✓	✓✓✓
		Characteristics		✓✓✓	excellent	✓✓	good	✓✓	limited

* Insulation sealed with aluminium tape

Underlays

Depending on the situation in the room, attention must be paid to the correct underlay material when laying the floorings. For this we offer 4 underlayments.




PUR 2.0
This professional acoustic mat consists of mineral fillers and polyurethane binders. PUR 2.0 comes with walking sound reduction, low thermal resistance as well as integrated moisture protection are also impressive features.



WOOD 5.0
The insulation board is made from wood fibres and is particularly suitable for use with uneven subfloors. Because of its high wood content, a PE foil must be laid underneath for moisture protection when installing on a mineral subfloor.




XPS 5.0
5 mm thick panels from extruded polystyrol. Excellent insulating properties and high impact sound reduction. Levels uneven patches of up to 4 mm.



XPS 2.2 ALU
The 2.2 mm thin foldable matt is easy and quick to lay out due to its bonded aluminium layer and the integrated adhesive tape.

Skirting boards

Choose from a range of skirting in various decors to suit all KronoOriginal® floors. Our clever fixing system makes it quick and simple to achieve a perfect installation. Please find here a small selection of our skirting.



K40C
2600 x 40 x 19 mm



K58C
2600 x 58 x 18 mm



Trendy skirting board, shaped
2600 x 58 x 17 mm
2600 x 70 x 17 mm
2600 x 100 x 17 mm

Mounting parts

Suitable for various skirting boards.



15 meter skirting boards can be easily and professionally fitted with the contents of one packet. The set is supplied complete with screws and wall plugs.

Corner pieces

Available for skirting systems K40C and K58C.



External corner | Internal corner | End cap
Coloured corners available in white, beige, grey, silver and dark brown.

Further laying accessories, cleaning and reparation sets, moldings and profiles you will find in our accessories catalogue.

Floor profiles

Floor profiles enable you to create smooth crossovers between different rooms or floorings. End profiles also ensure perfect edge finishes. Please find here a small selection of our profiles.



Transition profile
For level floorings. For screw or click-in fixing. Available in the following metallic finishes: stainless steel, silver and sand brushed.
900 mm or 2700 mm



End profile
For clean finishes and joints at walls and other boundaries. Available in the following metallic finishes: stainless steel, silver and sand brushed.
900 mm or 2700 mm




Ramp profile
For different level floorings. For screw or click-in fixing. Available in the following metallic finishes: stainless steel, silver and sand brushed.
900 mm or 2700 mm

Packaging information

Product	Plank Size	Thickness	Planks/Pack.	m² sq ft/Pack.	Weight/Pack. [kg lbs]	Pack./Pallet = m² sq ft
ATLANTIC 12	1285x192 mm 50½" x 7½"	12 mm ½"	6	1.48 15.93	15 34	52 = 77 828
ATLANTIC 8	1285x192 mm 50½" x 7½"	8 mm ⅝"	9	2.22 23.89	15 34	52 = 115 1242
VINTAGE	1285x192 mm 50½" x 7½"	10 mm ⅜"	7	1.73 18.58	15 33	52 = 90 966
IMPRESSIONS	635x327 mm 25" x 12⅞"	8 mm ⅝"	11	2.28 24.58	15 34	32 = 73 786
SUPER NATURAL	1285x192 mm 50½" x 7½"	8 mm ⅝"	9	2.22 23.89	15 34	52 = 115 1242
CASTELLO	1285x192 mm 50½" x 7½"	8 mm ⅝"	9	2.22 23.89	15 34	52 = 115 1242




Get the Krono Decor App now!



Available in Apple App Store and Google Play.

This app provides an extensive overview of all flooring designs in the KronoOriginal® collection. Get information on different products, sizes and dimensions.



www.krono-original.com
www.facebook.com/KronoOriginal

kronospan

www.kronospan-worldwide.com
info@krono-original.com